
ooi Documentation

Release 1.2.0

Spanish National Research Council - CSIC

Aug 24, 2017

Contents

1	User documentation	3
1.1	User documentation	3
2	Developer documentation	19
2.1	Developer documentation	19
3	Indices and tables	21

ooi is an implementation the Open Grid Forum's [Open Cloud Computing Interface \(OCCI\)](#) for OpenStack. Currently, it implements the version 1.2 (OCCI 1.2) of the standard.

User documentation

Please, read the following documentation if you intend to deploy ooi in your infrastructure.

Installation

Installation via packages

ooi packages are released through the EGI's [AppDB](#). In the [ooi](#) middleware page you will find the latest production and release candidates, as long as the repositories for the major GNU/Linux distributions.

Installation from pip

ooi can be installed via pip from OpenStack Kilo onwards. If you are running Juno, the code will still work, but there are some dependencies that may be in conflict with the existing Python modules in your system, as long as missing dependencies (`oslo.log` is not available in Juno):

```
$ pip install ooi
```

Upgrade Notes

Upgrading from version 0.X.X to version 1.X.X

When upgrading from a version in the 0.X.X series to 1.X.X you need to replace the old `api-paste.ini` configuration (as described in [Pipeline examples](#))

Configuration

ooi configuration

ooi needs to be enabled in the OpenStack Compute configuration file. Append `ooi` to your `enabled_apis` option:

```
enabled_apis=ec2,osapi_compute,metadata,ooi
```

Moreover, the following options are available:

- `ooi_listen`: IP address where ooi will listen. Defaults to `0.0.0.0`
- `ooi_listen_port`: Port ooi will bind to. Defaults to `8787`.
- `ooi_workers`: Number of workers to spawn, by default it is set to the number of CPUs in the node.
- `neutron_ooi_endpoint`: Neutron endpoint, configures the network management by using neutron. If this is not set, the system will use nova-network.
- `ooi_secure_proxy_ssl_header`: when ooi is served behind a SSL termination proxy, this variable defines the HTTP header that contains the protocol scheme for the original request. Possible values:
 - None (default) - the request scheme is not influenced by any HTTP headers.
 - Valid HTTP header, like `HTTP_X_FORWARDED_PROTO` - ooi will return URLs of objects matching the URL scheme defined in the header.

Paste Configuration

TL;DR.

Add the corresponding Paste configuration according to your OpenStack version from *Pipeline examples* into your Paste configuration file (usually `/etc/nova/api-paste.ini`).

Detailed instructions

Once installed it is needed to add it to your OpenStack installation. Edit your `/etc/nova/api-paste.ini`.

First it is needed to add the OCCI filter like this:

```
[filter:occi]
paste.filter_factory = ooi.wsgi:OCIMiddleware.factory
openstack_version = /v2
```

`openstack_version` can be configured to any of the supported OpenStack API versions, as indicated in Table *Supported OpenStack API versions*. If it is not configured, by default it will take the `/v2.1` value.

Table 1.1: Supported OpenStack API versions

OpenStack API version	openstack_version	reference OpenStack composite section
v2	/v2	[composite:openstack_compute_api_v2]
v2.1	/v2.1	[composite:openstack_compute_api_v21]

The next step is to create a `composite` section for the OCCI interface. It is needed to duplicate the *corresponding OpenStack API “composite”* section, renaming it to `occi_api_v12`. Once duplicated, the `occi` middleware needs to be added just before the last component of the pipeline. So, in the example above where `/v2` has been configured, we need to duplicate the `[composite:openstack_compute_api_v2]` as follows:


```
[composite:occi_api_12]
use = call:nova.api.auth:pipeline_factory
noauth = compute_req_id faultwrap sizelimit noauth ratelimit occi osapi_compute_app_v2
keystone = compute_req_id faultwrap sizelimit occi authtoken keystonecontext_
↪ratelimit occi osapi_compute_app_v2
keystone_nolimit = compute_req_id faultwrap sizelimit authtoken keystonecontext occi_
↪osapi_compute_app_v2
```

The last step regarding the API configuration is to add it to create the `[composite:ooi]` section:

```
[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.1: occi_api_12
/occi1.2: occi_api_12
```

Finally, you need to enable it in the OpenStack nova configuration, so that it is loaded properly. Add `ooi` to the `enabled_apis` option in the configuration file and adapt the port if needed, via the `ooi_listen_port` (by default it listens in the 8787 port). On the other hand, network management by using neutron can be configure via the `neutron_ooi_endpoint` option (if it is not set, the system will use nova-network):

```
enabled_apis=ec2,osapi_compute,metadata,ooi
ooi_listen_port=8787
neutron_ooi_endpoint=http://127.0.0.1:9696/v2.0
```

OpenStack has two components to support network management. On one side, nova-network provides a simple network management which creates, lists, shows information for, and deletes networks. Admin permissions are required to create and delete networks. On the other side, the neutron component allows to manage and configure advanced network features. OOI implements the OCCI interface to simple network management by using either nova-network or neutron. `neutron_ooi_endpoint` configures the neutron endpoint. It is an optional parameter that configures the network management by using neutron. If this is not set, the system will use nova-network.

If everything is OK, after rebooting the `nova-api` service you should be able to access your OCCI endpoint at:

```
$ nova credentials
# Grab the token
$ export KID=<token>
$ curl -H "x-auth-token: $KID" http://localhost:8787/occi1.1/-/
```

Usage documentation

Discovery

In order to discover the available resources in the system, OOI provides a view of the relevant resources for its usage:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/-/
```

It will show the OCCI and OpenStack resources related to OOI.

Compute

It allows to create, list, show and delete VMs.

List compute

It lists VMs:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/compute
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-
↪30830591f624
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/compute/0ce5df96-7e61-4a8e-b821-
↪9ebb88e77e07
```

Show compute

It shows details of a VM:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/compute/703910d7-
↪97f7-4e3e-9243-30830591f624
```

It returns a HTTP 200 with output:

```
Category: compute; scheme="http://schemas.ogf.org/occi/infrastructure#"; class="kind";
↪ title="compute resource"; rel="http://schemas.ogf.org/occi/core#resource";
↪ location="http://127.0.0.23:8787/occi1.2/compute/"
Category: 5f4311da-2ee2-47a6-913b-5d8496486c62; scheme="http://schemas.openstack.org/
↪ template/os#"; class="mixin"; title="cirros-0.3.4-x86_64-uec"; rel="http://schemas.
↪ ogf.org/occi/infrastructure#os_tpl"; location="http://127.0.0.23:8787/occi1.2/os_
↪ tpl/5f4311da-2ee2-47a6-913b-5d8496486c62"
Category: 42; scheme="http://schemas.openstack.org/template/resource#"; class="mixin";
↪ title="Flavor: m1.nano"; rel="http://schemas.ogf.org/occi/infrastructure#resource_
↪ tpl"; location="http://127.0.0.23:8787/occi1.2/resource_tpl/42"
X-OCCT-Attribute: occi.core.title="vm_assig_2"
X-OCCT-Attribute: occi.compute.state="inactive"
X-OCCT-Attribute: occi.compute.memory=64
X-OCCT-Attribute: occi.compute.cores=1
X-OCCT-Attribute: occi.compute.hostname="vm_assig_2"
X-OCCT-Attribute: occi.core.id="703910d7-97f7-4e3e-9243-30830591f624"
Link: <http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624?
↪ action=start>; rel="http://schemas.ogf.org/occi/infrastructure/compute/action#start"
Link: <http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624?
↪ action=stop>; rel="http://schemas.ogf.org/occi/infrastructure/compute/action#stop"
Link: <http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624?
↪ action=restart>; rel="http://schemas.ogf.org/occi/infrastructure/compute/action
↪ #restart"
Link: <http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624?
↪ action=suspend>; rel="http://schemas.ogf.org/occi/infrastructure/compute/action
↪ #suspend"
Link: <http://127.0.0.23:8787/occi1.2/networklink/703910d7-97f7-4e3e-9243-
↪ 30830591f624_cd48b7dd-9ac8-44fc-aec0-5ea679941ced_12.0.0.87>;
rel="http://schemas.ogf.org/occi/infrastructure#network";
self="http://127.0.0.23:8787/occi1.2/networklink/703910d7-97f7-4e3e-9243-30830591f624_
↪ cd48b7dd-9ac8-44fc-aec0-5ea679941ced_12.0.0.87";
occi.networkinterface.mac="fa:16:3e:20:14:f2"; occi.networkinterface.interface="eth0";
↪ occi.networkinterface.state="active";
occi.networkinterface.allocation="dynamic"; occi.networkinterface.address="12.0.0.87";
```

```

occi.core.source="http://127.0.0.23:8787/occi1.2/compute/703910d7-97f7-4e3e-9243-
↪30830591f624";
occi.core.target="http://127.0.0.23:8787/occi1.2/network/cd48b7dd-9ac8-44fc-aec0-
↪5ea679941ced";
occi.core.id="703910d7-97f7-4e3e-9243-30830591f624_cd48b7dd-9ac8-44fc-aec0-
↪5ea679941ced_12.0.0.87"
Link: <http://127.0.0.23:8787/occi1.2/networklink/703910d7-97f7-4e3e-9243-
↪30830591f624_PUBLIC_11.0.0.44>;
rel="http://schemas.ogf.org/occi/infrastructure#network"; self="http://127.0.0.
↪23:8787/occi1.2/networklink/703910d7-97f7-4e3e-9243-30830591f624_PUBLIC_11.0.0.44";
occi.networkinterface.mac="fa:16:3e:20:14:f2"; occi.networkinterface.interface="eth0";
↪ occi.networkinterface.state="active"; occi.networkinterface.allocation="dynamic";
occi.networkinterface.address="11.0.0.44"; occi.core.source="http://127.0.0.23:8787/
↪occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624";
occi.core.target="http://127.0.0.23:8787/occi1.2/network/PUBLIC"; occi.core.id=
↪"703910d7-97f7-4e3e-9243-30830591f624_PUBLIC_11.0.0.44"
Link: <http://127.0.0.23:8787/occi1.2/storagelink/703910d7-97f7-4e3e-9243-
↪30830591f624_f551d92d-1992-4625-91ff-5e48d96d03c9>;
rel="http://schemas.ogf.org/occi/infrastructure#storage";
self="https://127.0.0.23:8787/occi1.2/storagelink/703910d7-97f7-4e3e-9243-
↪30830591f624_f551d92d-1992-4625-91ff-5e48d96d03c9";
occi.storagelink.deviceid="/dev/xvdb"; occi.core.source="https://127.0.0.23:8787/
↪occi1.2/compute/703910d7-97f7-4e3e-9243-30830591f624";
occi.core.target="https://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-
↪5e48d96d03c9";
occi.core.id="703910d7-97f7-4e3e-9243-30830591f624_f551d92d-1992-4625-91ff-
↪5e48d96d03c9"

```

Create compute

It creates a VM using the default resources, including links to storage and private networks:

```

curl -X POST http://127.0.0.23:8787/occi1.2/compute/ \
-H 'X-Auth-Token: '$OS_TOKEN \
-H 'Category: compute; scheme="http://schemas.ogf.org/occi/infrastructure#"; ↪
↪class="kind", \
-H 'Category: 5f4311da-2ee2-47a6-913b-5d8496486c62; scheme="http://schemas.
↪openstack.org/template/os#"; class="mixin" \
-H 'Category: 42; scheme="http://schemas.openstack.org/template/resource#"; class=
↪"mixin" \
-H 'Content-Type: text/occi' -H 'X-OCCE-Attribute: occi.core.title="OOI_VM_1"

```

Also we can specify the network to be linked:

```

curl -X POST http://127.0.0.23:8787/occi1.2/compute/ \
-H 'X-Auth-Token: '$OS_TOKEN \
-H 'Category: compute; scheme="http://schemas.ogf.org/occi/infrastructure#"; ↪
↪class="kind", \
-H 'Category: 5f4311da-2ee2-47a6-913b-5d8496486c62; scheme="http://schemas.
↪openstack.org/template/os#"; class="mixin" \
-H 'Category: 42; scheme="http://schemas.openstack.org/template/resource#"; class=
↪"mixin" \
-H 'Link: </bar>; rel="http://schemas.ogf.org/occi/infrastructure#network"; \
    occi.core.target="http://127.0.0.23:8787/occi1.2/network/f8186fda-a389-468b-
↪9c13-24b8eda65d77" \
-H 'Content-Type: text/occi' -H 'X-OCCE-Attribute: occi.core.title="OOI_VM_1"

```

Links to storage can be also specified:

```
curl -X POST http://127.0.0.23:8787/occi1.2/compute/ \
  -H 'X-Auth-Token: '$OS_TOKEN \
  -H 'Category: compute; scheme="http://schemas.ogf.org/occi/infrastructure#"; ↵
↵class="kind" \
  -H 'Category: 5f4311da-2ee2-47a6-913b-5d8496486c62; scheme="http://schemas.
↵openstack.org/template/os#"; class="mixin" \
  -H 'Category: 42; scheme="http://schemas.openstack.org/template/resource#"; class=
↵"mixin" \
  -H 'Link: </bar>; rel="http://schemas.ogf.org/occi/infrastructure#storage"; \
    occi.core.target="http://127.0.0.23:8787/occi1.2/storage/567ed104-3ddf-11e6-
↵ad65-00219702a0b8" \
  -H 'Content-Type: text/occi' -H 'X-OCCT-Attribute: occi.core.title="OOI_VM_1"'
```

It returns a HTTP 201 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/compute/4a7dc666-33d2-495e-93fe-
↵ccd224c98c11
```

Delete compute

It deletes a VM, including all the links associated to it:

```
curl -X DELETE -H "X-Auth-token: '$OS_TOKEN http://127.0.0.23:8787/occi1.2/compute/
↵703910d7-97f7-4e3e-9243-30830591f624
```

It returns a 204 empty response.

Storage

Storage management provides list, show, create and deletion of volumes to a specific tenant.

List storage

It lists volumes:

```
curl -H "X-Auth-token: '$OS_TOKEN http://127.0.0.23:8787/occi1.2/storage
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/storage/91bb7532-3ddb-11e6-9770-
↵00219702a0b8
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/storage/a10abe94-3ddb-11e6-bc5d-
↵00219702a0b8
```

Show storage

It shows details of a volume:

```
curl -H "X-Auth-token: '$OS_TOKEN http://127.0.0.23:8787/occi1.2/storage/f551d92d-
↵1992-4625-91ff-5e48d96d03c9
```

It returns a HTTP 200 with output:

```
Category: storage; scheme="http://schemas.ogf.org/occi/infrastructure#"; class="kind";
↪ title="compute resource"; rel="http://schemas.ogf.org/occi/core#resource";
↪ location="http://127.0.0.23:8787/occi1.2/storage/"
X-OCCE-Attribute: occi.storage.state="online"
X-OCCE-Attribute: occi.core.id="f551d92d-1992-4625-91ff-5e48d96d03c9"
X-OCCE-Attribute: occi.storage.size=1
X-OCCE-Attribute: occi.core.title="vol1"
Link: <http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9?
↪ action=online>; rel="http://schemas.ogf.org/occi/infrastructure/storage/action
↪ #online"
Link: <http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9?
↪ action=offline>; rel="http://schemas.ogf.org/occi/infrastructure/storage/action
↪ #offline"
Link: <http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9?
↪ action=backup>; rel="http://schemas.ogf.org/occi/infrastructure/storage/action
↪ #backup"
Link: <http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9?
↪ action=snapshot>; rel="http://schemas.ogf.org/occi/infrastructure/storage/action
↪ #snapshot"
Link: <http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9?
↪ action=resize>; rel="http://schemas.ogf.org/occi/infrastructure/storage/action
↪ #resize"
```

Delete storage

It deletes a volume, including all the links associated to it:

```
curl -X DELETE -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/storage/
↪ f551d92d-1992-4625-91ff-5e48d96d03c9
```

It returns a 204 empty response.

Storage Link

OOI allows to link virtual machines to existing volumes.

List storage links

It lists links between VMs and volumes:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/storagelink
```

It returns a HTTP 200 with output:

```
X-OCCE-Location: http://127.0.0.23:8787/occi1.2/storagelink/8a97b403-3ec6-4002-988b-
↪ 1f34dd836eff_f551d92d-1992-4625-91ff-5e48d96d03c9
X-OCCE-Location: http://127.0.0.23:8787/occi1.2/storagelink/e9bf4d1e-3dde-11e6-8479-
↪ 00219702a0b8_f382628c-3dde-11e6-9697-00219702a0b8
```

Show storage link

It shows the storage attachemet featuresr:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/storagelink/8a97b403-3ec6-4002-988b-1f34dd836eff_f551d92d-1992-4625-91ff-5e48d96d03c9
```

It returns a HTTP 200 with output:

```
Category: storagelink; scheme="http://schemas.ogf.org/occi/infrastructure#"; class=
↪ "kind"; title="storage link resource"; rel="http://schemas.ogf.org/occi/core#link";
↪ location="http://127.0.0.23:8787/occi1.2/storagelink/"
X-OCCT-Attribute: occi.storagelink.deviceid="/dev/xvdb"
X-OCCT-Attribute: occi.core.source="http://127.0.0.23:8787/occi1.2/compute/8a97b403-3ec6-4002-988b-1f34dd836eff"
X-OCCT-Attribute: occi.core.target="http://127.0.0.23:8787/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9"
X-OCCT-Attribute: occi.core.id="8a97b403-3ec6-4002-988b-1f34dd836eff_f551d92d-1992-4625-91ff-5e48d96d03c9"
```

Create storage link

It allows you to attach volumes to VMs:

```
curl -X POST http://127.0.0.23:8787/occi1.2/storagelink/ \
-H 'X-Auth-Token: '$OS_TOKEN \
-H 'Content-Type: text/occi' \
-H 'Category: storagelink;scheme="http://schemas.ogf.org/occi/infrastructure#";
↪ class="kind";' \
-H 'X-OCCT-Attribute: occi.core.target=/occi1.2/storage/f551d92d-1992-4625-91ff-5e48d96d03c9, \
↪ occi.core.source="/occi1.2/compute/8a97b403-3ec6-4002-988b-1f34dd836eff" '
```

It returns a HTTP 200 with output:

```
http://127.0.0.23:8787/occi1.2/storagelink/8a97b403-3ec6-4002-988b-1f34dd836eff_f551d92d-1992-4625-91ff-5e48d96d03c9
```

Delete storage link

It detaches a volume from VM:

```
curl -X DELETE -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/storagelink/8a97b403-3ec6-4002-988b-1f34dd836eff_f551d92d-1992-4625-91ff-5e48d96d03c9
```

It returns a 204 empty response.

Network

Network management provides list, show, create and deletion of networks to a specific tenant.

List networks

It lists all networks available for connecting virtual machines:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/network
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/network/2c9868b4-f71a-45d2-ba8c-
↳ dbf42f0b3120
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/network/4213c7ef-68d4-42e8-a3cd-
↳ 1c5bab3abe6
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/network/PUBLIC
```

Show network

It shows the network features:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/network/b8a3d813-
↳ 65da-4910-a80c-f97b4ba31fd4
```

It returns a HTTP 200 with output:

```
Category: network; scheme="http://schemas.ogf.org/occi/infrastructure#"; class="kind";
↳ title="network resource";
  rel="http://schemas.ogf.org/occi/core#resource"; location="http://127.0.0.23:8787/
↳ occl1.2/network/"
Category: ipnetwork; scheme="http://schemas.ogf.org/occi/infrastructure/network#";
↳ class="mixin";
  title="IP Networking Mixin"
Category: osnetwork; scheme="http://schemas.openstack.org/infrastructure/network#";
↳ class="mixin";
  title="openstack network"
X-OCCT-Attribute: occl.network.address="20.0.0.0/24"
X-OCCT-Attribute: occl.network.state="active"
X-OCCT-Attribute: occl.core.title="CommandLineOCCT"
X-OCCT-Attribute: occl.network.gateway="20.0.0.1"
X-OCCT-Attribute: occl.core.id="4a7dc666-33d2-495e-93fe-ccd224c98c11"
Link: <http://127.0.0.23:8787/occl1.2/network/4a7dc666-33d2-495e-93fe-ccd224c98c11?
↳ action=up>;
  rel="http://schemas.ogf.org/occi/infrastructure/network/action#up"
Link: <http://127.0.0.23:8787/occl1.2/network/4a7dc666-33d2-495e-93fe-ccd224c98c11?
↳ action=down>;
  rel="http://schemas.ogf.org/occi/infrastructure/network/action#down"
```

Create network

It creates a network:

```
curl -X POST http://127.0.0.23:8787/occl1.2/network/ \
  -H 'X-Auth-Token: '$OS_TOKEN \
  -H 'Category: network; scheme="http://schemas.ogf.org/occi/infrastructure#";
↳ class="kind", \
    ipnetwork; scheme="http://schemas.ogf.org/occi/infrastructure/network#";
↳ class="mixin"' \
```

```
-H 'Content-Type: text/occi' \  
-H 'X-OCCT-Attribute: occt.core.title="OCCT_NET", occt.network.address="15.0.0.0/  
↪24"'
```

It returns a HTTP 201 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occt1.2/network/4a7dc666-33d2-495e-93fe-  
↪ccd224c98c11
```

Delete network

It deletes a network:

```
curl -X DELETE -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occt1.2/network/  
↪cb94496e-7e8e-4cb6-841d-30f38bc375e6
```

It returns a 204 empty response.

IPReservation

OOI allows to manage public IPs by using IPReservation resources. This resource is a special network to provide public access. It allocates and releases IPs from public network pools.

List IPReservations

It list IPReservation resources:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.1:8787/occt1.1/ipreservation
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.1:8787/occt1.1/ipreservation/3318c3af-ce57-41ef-a9c1-  
↪9a5ecfbe0526
```

Show IPReservation

It shows the IPReservation details:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.1:8787/occt1.1/ipreservation/  
↪3318c3af-ce57-41ef-a9c1-9a5ecfbe0526
```

It returns a HTTP 200 with output:

```
Category: ipreservation; scheme="http://schemas.ogf.org/occi/infrastructure#"; class=  
↪"kind"; title="IPReservation"; rel="http://schemas.ogf.org/occi/infrastructure  
↪#network"; location="http://127.0.0.1:8787/occt1.1/ipreservation/"  
X-OCCT-Attribute: occt.core.title="external-net"  
X-OCCT-Attribute: occt.core.summary=[]  
X-OCCT-Attribute: occt.core.id="3318c3af-ce57-41ef-a9c1-9a5ecfbe0526"  
X-OCCT-Attribute: occt.ipreservation.address="193.136.75.90"  
X-OCCT-Attribute: occt.ipreservation.used="true"
```



```
Link: <http://127.0.0.1:8787/occi1.1/ipreservation/3318c3af-ce57-41ef-a9c1-
↪9a5ecfbe0526?action=up>; rel="http://schemas.ogf.org/occi/infrastructure/network/
↪action#up"
Link: <http://127.0.0.1:8787/occi1.1/ipreservation/3318c3af-ce57-41ef-a9c1-
↪9a5ecfbe0526?action=down>; rel="http://schemas.ogf.org/occi/infrastructure/network/
↪action#down"
```

Create IPReservation

It creates a IPReservation resource:

```
curl -X POST http://127.0.0.1:8787/occi1.1/ipreservation -H 'X-Auth-token: '$OS_TOKEN_
↪\
-H 'Category: ipreshemas.ogf.org/occi/infrastructure#"; class="kind", ' \
'external-net; scheme="http://schemas.openstack.org/network/floatingippool#"; class=
↪"mixin"' \
-H 'Content-Type: text/occi'
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.1:8787/occi1.1/ipreservation/3318c3af-ce57-41ef-a9c1-
↪9a5ecfbe0526
```

Delete IPReservation

It deletes IPReservation resources:

```
curl -X DELETE -H "X-Auth-token: "$OS_TOKEN http://127.0.0.1:8787/occi1.1/
↪ipreservation/3318c3af-ce57-41ef-a9c1-9a5ecfbe0526
```

It returns a 204 empty response.

Network Link

OOI allows to link virtual machines to private networks, and request for public floating IPs.

List network links

It lists links between VMs and networks:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/networklink
```

It returns a HTTP 200 with output:

```
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/networklink/9524a622-5d1a-4c7c-bb83-
↪e0d539e2c69b_PUBLIC_192.168.1.132
X-OCCT-Location: http://127.0.0.23:8787/occi1.2/networklink/703910d7-97f7-4e3e-9243-
↪30830591f624_cd48b7dd-9ac8-44fc-aec0-5ea679941ced_12.0.0.87
```

Show network link

It shows the network link features. It could be with a private or public network. In case of private network:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/networklink/703910d7-
↪97f7-4e3e-9243-30830591f624_cd48b7dd-9ac8-44fc-aec0-5ea679941ced_12.0.0.87
```

It returns a HTTP 200 with output:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/networklink/703910d7-
↪97f7-4e3e-9243-30830591f624_cd48b7dd-9ac8-44fc-aec0-5ea679941ced_12.0.0.87
Category: networkinterface; scheme="http://schemas.ogf.org/occi/infrastructure#";
↪class="kind"; \
  title="network link resource"; rel="http://schemas.ogf.org/occi/core#link"; location=
↪"http://127.0.0.23:8787/occi1.2/networklink/" \
Category: ipnetworkinterface; scheme="http://schemas.ogf.org/occi/infrastructure/
↪networkinterface#"; \
  class="mixin"; title="IP Network interface Mixin"
X-OCCT-Attribute: occi.networkinterface.mac="fa:16:3e:20:14:f2"
X-OCCT-Attribute: occi.networkinterface.interface="eth0"
X-OCCT-Attribute: occi.networkinterface.state="active"
X-OCCT-Attribute: occi.networkinterface.allocation="dynamic"
X-OCCT-Attribute: occi.networkinterface.address="12.0.0.87"
X-OCCT-Attribute: occi.core.source="http://127.0.0.23:8787/occi1.2/compute/703910d7-
↪97f7-4e3e-9243-30830591f624"
X-OCCT-Attribute: occi.core.target="http://127.0.0.23:8787/occi1.2/network/cd48b7dd-
↪9ac8-44fc-aec0-5ea679941ced"
X-OCCT-Attribute: occi.core.id="703910d7-97f7-4e3e-9243-30830591f624_cd48b7dd-9ac8-
↪44fc-aec0-5ea679941ced_12.0.0.87"
```

In case of public network:

```
curl -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/networklink/4f11383c-
↪b104-40d4-a17c-d223e450d15d_b8a3d813-65da-4910-a80c-f97b4ba31fd4_20.0.0.5
```

It returns a HTTP 200 with output:

```
Category: networkinterface; scheme="http://schemas.ogf.org/occi/infrastructure#";
↪class="kind";
  title="network link resource"; rel="http://schemas.ogf.org/occi/core#link";
  location="http://127.0.0.23:8787/occi1.2/networklink/"
Category: ipnetworkinterface; scheme="http://schemas.ogf.org/occi/infrastructure/
↪networkinterface#"; class="mixin"; title="IP Network interface Mixin"
X-OCCT-Attribute: occi.networkinterface.mac="fa:16:3e:81:52:b9"
X-OCCT-Attribute: occi.networkinterface.interface="eth0"
X-OCCT-Attribute: occi.networkinterface.state="active"
X-OCCT-Attribute: occi.networkinterface.allocation="dynamic"
X-OCCT-Attribute: occi.networkinterface.address="20.0.0.5"
X-OCCT-Attribute: occi.core.source="http://127.0.0.23:8787/occi1.2/compute/4f11383c-
↪b104-40d4-a17c-d223e450d15d"
X-OCCT-Attribute: occi.core.target="http://127.0.0.23:8787/occi1.2/network/b8a3d813-
↪65da-4910-a80c-f97b4ba31fd4"
X-OCCT-Attribute: occi.core.id="4f11383c-b104-40d4-a17c-d223e450d15d_b8a3d813-65da-
↪4910-a80c-f97b4ba31fd4_20.0.0.5"
```

Create network link

It allows you to create link between VMs and networks. It could be with a private or public network: In case of private network:

```
curl -X POST http://127.0.0.23:8787/occi1.2/networklink/ \
-H 'X-Auth-Token: '$OS_TOKEN \
-H 'Category: networkinterface; scheme="http://schemas.ogf.org/occi/infrastructure
↪#"; class="kind" ' \
-H 'Content-Type: text/occi' \
-H 'X-OCCT-Attribute: occi.core.target=http://127.0.0.23:8787/occi1.2/network/
↪PUBLIC, \
    occi.core.source=http://127.0.0.23:8787/occi1.2/compute/cb83a70a-5202-4b9e-
↪a525-649c72005300'
```

In case of private network:

```
curl -X POST http://127.0.0.23:8787/occi1.2/networklink/ \
-H 'X-Auth-Token: '$OS_TOKEN \
-H 'Category: networkinterface; scheme="http://schemas.ogf.org/occi/infrastructure
↪#"; class="kind" ' \
-H 'Content-Type: text/occi' \
-H 'X-OCCT-Attribute: occi.core.target=http://127.0.0.23:8787/occi1.2/network/
↪d856c264-1999-489d-888e-f84db9093979, \
    occi.core.source=http://127.0.0.23:8787/occi1.2/compute/cb83a70a-5202-4b9e-
↪a525-649c72005300'
```

Delete network link

It deletes a network link:

```
curl -X DELETE -H "X-Auth-token: "$OS_TOKEN http://127.0.0.23:8787/occi1.2/
↪networklink/703910d7-97f7-4e3e-9243-30830591f624_cd48b7dd-9ac8-44fc-aec0-
↪5ea679941ced_12.0.0.87
```

It returns a 204 empty response.

Pipeline examples

For your convenience, find below some example pipelines to be used with the corresponding OpenStack Compute version. These are to be **added** into your `/etc/nova/api-paste.ini` configuration file.

Juno (2014.2)

```
[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.2: occi_api_12
/occi1.1: occi_api_12

[filter:occi]
paste.filter_factory = ooi.wsgi:OCIMiddleware.factory
openstack_version = /v2.0
```

```
[composite:occi_api_12]
[composite:openstack_compute_api_v2]
use = call:nova.api.auth:pipeline_factory
noauth = compute_req_id faultwrap sizelimit noauth ratelimit occi osapi_compute_app_v2
keystone = compute_req_id faultwrap sizelimit authtoken keystonecontext ratelimit_
↪occi osapi_compute_app_v2
keystone_nolimit = compute_req_id faultwrap sizelimit authtoken keystonecontext occi_
↪osapi_compute_app_v2
```

Kilo (2015.1)

```
[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.2: occi_api_12
/occi1.1: occi_api_12

[filter:occi]
paste.filter_factory = ooi.wsgi:OCCIMiddleware.factory
openstack_version = /v2.1

[composite:occi_api_12]
use = call:nova.api.auth:pipeline_factory_v21
noauth = compute_req_id faultwrap sizelimit noauth occi osapi_compute_app_v21
noauth2 = compute_req_id faultwrap sizelimit noauth2 occi osapi_compute_app_v21
keystone = compute_req_id faultwrap sizelimit authtoken keystonecontext occi osapi_
↪compute_app_v21
```

Liberty (12)

```
[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.2: occi_api_12
/occi1.1: occi_api_12

[filter:occi]
paste.filter_factory = ooi.wsgi:OCCIMiddleware.factory
openstack_version = /v2.1

[composite:occi_api_12]
use = call:nova.api.auth:pipeline_factory_v21
noauth2 = compute_req_id faultwrap sizelimit noauth2 occi osapi_compute_app_v21
keystone = compute_req_id faultwrap sizelimit authtoken keystonecontext occi osapi_
↪compute_app_v21
```

Mitaka (13)

```
[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.2: occi_api_12
/occi1.1: occi_api_12

[filter:occi]
```

```

paste.filter_factory = ooi.wsgi:OCCIMiddleware.factory
openstack_version = /v2.1

[composite:occi_api_12]
use = call:nova.api.auth:pipeline_factory_v21
noauth2 = cors compute_req_id faultwrap sizelimit noauth2 occi osapi_compute_app_v21
keystone = cors compute_req_id faultwrap sizelimit authtoken keystonecontext occi_
↪osapi_compute_app_v21

```

Netwon (14)

```

[composite:ooi]
use = call:nova.api.openstack.urlmap:urlmap_factory
/occi1.2: occi_api_12
/occi1.1: occi_api_12

[filter:occi]
paste.filter_factory = ooi.wsgi:OCCIMiddleware.factory
openstack_version = /v2.1

[composite:occi_api_12]
use = call:nova.api.auth:pipeline_factory_v21
noauth2 = cors http_proxy_to_wsgi compute_req_id faultwrap sizelimit noauth2 occi_
↪osapi_compute_app_v21
keystone = cors http_proxy_to_wsgi compute_req_id faultwrap sizelimit authtoken_
↪keystonecontext occi osapi_compute_app_v21

```


CHAPTER 2

Developer documentation

Developer documentation

ooi's modules

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`